


# BALUSTERS



**TURNED  
TAPERS**



**5040**

1-1/8" Finished Diameter

**5540**

1-5/8" Finished Diameter



**SQUARES**

Standard sizes are listed below.

Other sizes and lengths will be quoted upon request.

PART NUMBER	Finished Diameter	Length *Includes bottom pin	PIN TOP	STRAIGHT TOP SECTION	TAPERED LENGTH	BOTTOM PIN *Included in overall length	OPTION: Octagon
5040-31	1-1/8"	31"	3/4" **	N/A	30-1/2"	3/4" x 1/2"	O
5040-36	1-1/8"	36"	3/4" **	4-7/8"	30-5/8"	3/4" x 1/2"	O
5040-39	1-1/8"	39"	3/4" **	7-7/8"	30-5/8"	3/4" x 1/2"	O
5040-41	1-1/8"	41"	3/4" **	9-7/8"	30-5/8"	3/4" x 1/2"	O
5040-43	1-1/8"	43"	3/4" **	11-7/8"	30-5/8"	3/4" x 1/2"	O
5540-31	1-5/8"	31"	3/4"	N/A	30-1/2"	3/4" x 1/2"	O
5540-36	1-5/8"	36"	3/4"	4-7/8"	30-5/8"	3/4" x 1/2"	O
5540-39	1-5/8"	39"	3/4"	7-7/8"	30-5/8"	3/4" x 1/2"	O
5540-41	1-5/8"	41"	3/4"	9-7/8"	30-5/8"	3/4" x 1/2"	O
5540-43	1-5/8"	43"	3/4"	11-7/8"	30-5/8"	3/4" x 1/2"	O

PART NUMBER	Blank Size	Length
5920-31	1"	31"
5920-36	1"	36"
5920-41	1"	41"
5920-42	1"	42"
5940-31	1-3/16"	31"
5940-36	1-3/16"	36"
5940-41	1-3/16"	41"
5940-42	1-3/16"	42"
5945-31	1-1/4"	31"
5945-36	1-1/4"	36"
5945-41	1-1/4"	41"
5945-42	1-1/4"	42"
5950-31	1-1/2"	31"
5950-36	1-1/2"	36"
5950-41	1-1/2"	41"
5950-42	1-1/2"	42"
5960-31	1-3/4"	31"
5960-36	1-3/4"	36"
5960-41	1-3/4"	41"
5960-42	1-3/4"	42"

**\*\* NOTE:** We increased the diameter at the top of our 5040 balusters to 3/4" in 2019. Prior to 2019 it was 5/8". We no longer offer these with a 5/8" top dimension.

**OPTION: O = Octagon**

# BALUSTERS



**5015**

1-3/16" and 1-1/4"



**5141**

1-3/16" and 1-1/4"

PART NUMBER	Blank Size	Length *Incl. bottom pin	PIN TOP	TOP BLOCK	TURNED SECTION	BOTTOM BLOCK	BOTTOM PIN *Included in overall length	OPTION: Octagon
5015-31	1-3/16"	31"	5/8"	N/A	22-1/2"	8-1/8"	3/4" X 3/8"	O
5015-34	1-3/16"	34"	5/8"	N/A	25-1/2"	8-1/8"	3/4" X 3/8"	O
5015-36*	1-3/16"	36"	5/8"	N/A	27-1/2"	8-5/16"	*3/4" X 3/16"	O
5015-39	1-3/16"	39"	5/8"	N/A	30-1/2"	8-1/8"	3/4" X 3/8"	O
5015-41	1-3/16"	41"	5/8"	N/A	32-1/2"	8-1/8"	3/4" X 3/8"	O
5015-43	1-3/16"	43"	5/8"	N/A	32-1/2"	10-1/8"	3/4" X 3/8"	O
5015-31Q	1-1/4"	31"	5/8"	N/A	22-1/2"	8-1/8"	3/4" X 3/8"	O
5015-34Q	1-1/4"	34"	5/8"	N/A	25-1/2"	8-1/8"	3/4" X 3/8"	O
5015-36Q*	1-1/4"	36"	5/8"	N/A	27-1/2"	8-5/16"	*3/4" X 3/16"	O
5015-39Q	1-1/4"	39"	5/8"	N/A	30-1/2"	8-1/8"	3/4" X 3/8"	O
5015-41Q	1-1/4"	41"	5/8"	N/A	32-1/2"	8-1/8"	3/4" X 3/8"	O
5015-43Q	1-1/4"	43"	5/8"	N/A	32-1/2"	10-1/8"	3/4" X 3/8"	O
5141-31	1-3/16"	31"	N/A	6-1/2"	16"	8-1/8"	3/4" X 3/8"	O
5141-34	1-3/16"	34"	N/A	6-1/2"	19"	8-1/8"	3/4" X 3/8"	O
5141-36	1-3/16"	36"	N/A	6-1/2"	21"	8-1/8"	3/4" X 3/8"	O
5141-39	1-3/16"	39"	N/A	6-1/2"	24"	8-1/8"	3/4" X 3/8"	O
5141-41	1-3/16"	41"	N/A	6-1/2"	26"	8-1/8"	3/4" X 3/8"	O
5141-31Q	1-1/4"	31"	N/A	6-1/2"	16"	8-1/8"	3/4" X 3/8"	O
5141-34Q	1-1/4"	34"	N/A	6-1/2"	19"	8-1/8"	3/4" X 3/8"	O
5141-36Q	1-1/4"	36"	N/A	6-1/2"	21"	8-1/8"	3/4" X 3/8"	O
5141-39Q	1-1/4"	39"	N/A	6-1/2"	24"	8-1/8"	3/4" X 3/8"	O
5141-41Q	1-1/4"	41"	N/A	6-1/2"	26"	8-1/8"	3/4" X 3/8"	O

OPTION: O = Octagon

**OLD WORLD MILLWORKS**  
Div. of C. A. Larson & Sons, Inc.

# BALUSTERS



**5200**

1-3/16" and 1-1/4"



**5205**

1-3/16" and 1-1/4"

PART NUMBER	Blank Size	Length *Incl. bottom pin	PIN TOP	TOP BLOCK	TURND SECTION	BOTTOM BLOCK	BOTTOM PIN *Included in overall length	OPTION: Octagon
5200-31	1-3/16"	31"	5/8"	N/A	22-3/4"	7-1/2"	3/4" x 3/4"	O
5200-34	1-3/16"	34"	5/8"	N/A	22-3/4"	10-1/2"	3/4" x 3/4"	O
5200-36	1-3/16"	36"	5/8"	N/A	27-3/4"	7-1/2"	3/4" x 3/4"	O
5200-36B	1-3/16"	36"	5/8"	N/A	22-3/4"	12-1/2"	3/4" x 3/4"	O
5200-39	1-3/16"	39"	5/8"	N/A	27-3/4"	10-1/2"	3/4" x 3/4"	O
5200-39B	1-3/16"	39"	5/8"	N/A	22-3/4"	15-1/2"	3/4" x 3/4"	O
5200-41	1-3/16"	41"	5/8"	N/A	27-3/4"	12-1/2"	3/4" x 3/4"	O
5200-41B	1-3/16"	41"	5/8"	N/A	22-3/4"	17-1/2"	3/4" x 3/4"	O
5200-31Q	1-1/4"	31"	5/8"	N/A	22-3/4"	7-1/2"	3/4" x 3/4"	O
5200-34Q	1-1/4"	34"	5/8"	N/A	22-3/4"	10-1/2"	3/4" x 3/4"	O
5200-36Q	1-1/4"	36"	5/8"	N/A	27-3/4"	7-1/2"	3/4" x 3/4"	O
5200-36BQ	1-1/4"	36"	5/8"	N/A	22-3/4"	12-1/2"	3/4" x 3/4"	O
5200-39Q	1-1/4"	39"	5/8"	N/A	27-3/4"	10-1/2"	3/4" x 3/4"	O
5200-39BQ	1-1/4"	39"	5/8"	N/A	22-3/4"	15-1/2"	3/4" x 3/4"	O
5200-41Q	1-1/4"	41"	5/8"	N/A	27-3/4"	12-1/2"	3/4" x 3/4"	O
5200-41BQ	1-1/4"	41"	5/8"	N/A	22-3/4"	17-1/2"	3/4" x 3/4"	O
5205-31	1-3/16"	31"	N/A	5-3/4"	17-1/2"	7-3/4"	N/A	O
5205-34	1-3/16"	34"	N/A	5-3/4"	17-1/2"	10-3/4"	N/A	O
5205-36	1-3/16"	36"	N/A	5-3/4"	17-1/2"	12-3/4"	N/A	O
5205-39	1-3/16"	39"	N/A	5-3/4"	17-1/2"	15-3/4"	N/A	O
5205-41	1-3/16"	41"	N/A	5-3/4"	17-1/2"	17-3/4"	N/A	O
5205-31Q	1-1/4"	31"	N/A	5-3/4"	17-1/2"	7-3/4"	N/A	O
5205-34Q	1-1/4"	34"	N/A	5-3/4"	17-1/2"	10-3/4"	N/A	O
5205-36Q	1-1/4"	36"	N/A	5-3/4"	17-1/2"	12-3/4"	N/A	O
5205-39Q	1-1/4"	39"	N/A	5-3/4"	17-1/2"	15-3/4"	N/A	O
5205-41Q	1-1/4"	41"	N/A	5-3/4"	17-1/2"	17-3/4"	N/A	O

OPTION: O = Octagon

**OLD WORLD MILLWORKS**  
Div. of C. A. Larson & Sons, Inc.

# BALUSTERS



**5300**  
1-3/4"




**5305**  
1-3/4"

PART NUMBER	BLANK SIZE	LENGTH *Includes bottom pin	PIN TOP	TOP BLOCK	TURNED SECTION	BOTTOM BLOCK	BOTTOM PIN *Included in overall length	OPTION: Octagon
5300-31	1-3/4"	31"	3/4"	N/A	23"	7-1/2"	3/4" x 1/2"	O
5300-34	1-3/4"	34"	3/4"	N/A	23"	10-1/2"	3/4" x 1/2"	O
5300-36	1-3/4"	36"	3/4"	N/A	28"	7-1/2"	3/4" x 1/2"	O
5300-36B	1-3/4"	36"	3/4"	N/A	23"	12-1/2"	3/4" x 1/2"	O
5300-39	1-3/4"	39"	3/4"	N/A	28"	10-1/2"	3/4" x 1/2"	O
5300-39B	1-3/4"	39"	3/4"	N/A	23"	15-1/2"	3/4" x 1/2"	O
5300-41	1-3/4"	41"	3/4"	N/A	28"	12-1/2"	3/4" x 1/2"	O
5300-41B	1-3/4"	41"	3/4"	N/A	23"	17-1/2"	3/4" x 1/2"	O
5305-31	1-3/4"	31"	N/A	6-3/4"	17-1/4"	7"	N/A	O
5305-34	1-3/4"	34"	N/A	6-3/4"	17-1/4"	10"	N/A	O
5305-36	1-3/4"	36"	N/A	6-3/4"	17-1/4"	12"	N/A	O
5305-39	1-3/4"	39"	N/A	6-3/4"	17-1/4"	15"	N/A	O
5305-41	1-3/4"	41"	N/A	6-3/4"	17-1/4"	17"	N/A	O

OPTION: O = Octagon

**OLD WORLD MILLWORKS**  
Div. of C. A. Larson & Sons, Inc.

# BALUSTERS



**2005**  
1-3/4"



**2015**  
1-3/4"



**2318**  
1-3/4"



**3019**  
1-3/4"  
Round or Square  
Bottom Block

PART NUMBER	BLANK SIZE	Length *Includes bottom pin	PIN TOP	TOP BLOCK	TURND SECTION	BOTTOM BLOCK	BOTTOM PIN *Included in overall length	OPTIONS - See key
<b>2005-31</b>	1-3/4"	31"	N/A	5-7/8"	17-1/4"	7-1/2"	3/4" x 1/2"	F, O
<b>2005-34</b>	1-3/4"	34"	N/A	5-7/8"	20-1/4"	7-1/2"	3/4" x 1/2"	F, O, T
<b>2005-36</b>	1-3/4"	36"	N/A	5-7/8"	22-1/4"	7-1/2"	3/4" x 1/2"	F, O, T
<b>2005-39</b>	1-3/4"	39"	N/A	5-7/8"	25-1/4"	7-1/2"	3/4" x 1/2"	F, O, T
<b>2005-41</b>	1-3/4"	41"	N/A	5-7/8"	27-1/4"	7-1/2"	3/4" x 1/2"	F, O, T
<b>2015-31</b>	1-3/4"	31"	3/4"	N/A	23-1/8"	7-1/2"	3/4" x 3/8"	F, O
<b>2015-34</b>	1-3/4"	34"	3/4"	N/A	26-1/8"	7-1/2"	3/4" x 3/8"	F, O, T
<b>2015-36</b>	1-3/4"	36"	3/4"	N/A	28-1/8"	7-1/2"	3/4" x 3/8"	F, O, T
<b>2015-39</b>	1-3/4"	39"	3/4"	N/A	31-1/8"	7-1/2"	3/4" x 3/8"	F, O, T
<b>2015-41</b>	1-3/4"	41"	3/4"	N/A	33-1/8"	7-1/2"	3/4" x 3/8"	F, O, T
<b>2318-36</b>	1-3/4"	36"	3/4"	N/A	27-1/2"	7-3/4"	3/4" x 3/4"	F, O, S
<b>2318-41</b>	1-3/4"	42"	3/4"	N/A	27-1/2"	13-3/4"	3/4" x 3/4"	F, O, S
<b>3019-36R</b>	1-5/8"	36"	7/8"	N/A	31-3/4"	4" RND	3/4" x 3/16"	F
<b>3019-39R</b>	1-5/8"	39"	7/8"	N/A	31-3/4"	7" RND	3/4" x 3/16"	F
<b>3019-41R</b>	1-5/8"	41"	7/8"	N/A	31-3/4"	9" RND	3/4" x 3/16"	F
<b>3019-36SQ</b>	1-3/4"	36"	7/8"	N/A	31-3/4"	4"	3/4" x 3/16"	F
<b>3019-39SQ</b>	1-3/4"	39"	7/8"	N/A	31-3/4"	7"	3/4" x 3/16"	F
<b>3019-41SQ</b>	1-3/4"	41"	7/8"	N/A	31-3/4"	9"	3/4" x 3/16"	F

**OPTIONS: F = Fluted; O = Octagon; T = Twist**

**OLD WORLD MILLWORKS**  
Div. of C. A. Larson & Sons, Inc.

# BALUSTERS




**3700**

2-1/4" Laminated Blank




**5077**

1-3/4"



**5045**

1-3/16" and 1-1/14"



**5545**

1-3/4"

PART NUMBER	Blank Size	Length *Incl. bottom pin	PIN TOP	TOP BLOCK	TURNT SECTION	BOTTOM BLOCK	BOTTOM PIN *Included in overall length	OPTIONS - See key
3700-36	2-1/4"	36-1/4"	7/8"	N/A	29-1/2"	6-1/2"	1" x 1/4"	F
3700-39	2-1/4"	39-1/4"	7/8"	N/A	29-1/2"	9-1/2"	1" x 1/4"	F
3700-41	2-1/4"	41-1/4"	7/8"	N/A	29-1/2"	11-1/2"	1" x 1/4"	F
5077-31	1-3/4"	31"	7/8"	N/A	25-5/8"	4-7/8"	3/4" x 1/2"	F, O
5077-36	1-3/4"	36"	7/8"	N/A	30-5/8"	4-7/8"	3/4" x 1/2"	F, O, T
5077-39	1-3/4"	39"	7/8"	N/A	33-5/8"	4-7/8"	3/4" x 1/2"	F, O
5077-41	1-3/4"	41"	7/8"	N/A	35-5/8"	4-7/8"	3/4" x 1/2"	F, O, T
5045-31	1-3/16"	31"	3/4"	N/A	24"	6-1/2"	3/4" x 1/2"	F, O
5045-34	1-3/16"	34"	3/4"	N/A	24"	9-1/2"	3/4" x 1/2"	F, O
5045-36	1-3/16"	36"	3/4"	N/A	24"	11-1/2"	3/4" x 1/2"	F, O
5045-39	1-3/16"	39"	3/4"	N/A	24"	14-1/2"	3/4" x 1/2"	F, O
5045-41	1-3/16"	41"	3/4"	N/A	24"	16-1/2"	3/4" x 1/2"	F, O
5045-31Q	1-1/4"	31"	3/4"	N/A	24"	6-1/2"	3/4" x 1/2"	F, O
5045-34Q	1-1/4"	34"	3/4"	N/A	24"	9-1/2"	3/4" x 1/2"	F, O
5045-36Q	1-1/4"	36"	3/4"	N/A	24"	11-1/2"	3/4" x 1/2"	F, O
5045-39Q	1-1/4"	39"	3/4"	N/A	24"	14-1/2"	3/4" x 1/2"	F, O
5045-41Q	1-1/4"	41"	3/4"	N/A	24"	16-1/2"	3/4" x 1/2"	F, O
5545-34	1-3/4"	34"	3/4"	N/A	28"	5-1/2"	3/4" x 1/2"	F, O
5545-36	1-3/4"	36"	3/4"	N/A	28"	7-1/2"	3/4" x 1/2"	F, O
5545-39	1-3/4"	39"	3/4"	N/A	28"	10-1/2"	3/4" x 1/2"	F, O
5545-41	1-3/4"	41"	3/4"	N/A	28"	12-1/2"	3/4" x 1/2"	F, O


OPTIONS: F = Fluted; O = Octagon; T = Twist

**OLD WORLD MILLWORKS**  
Div. of C. A. Larson & Sons, Inc.

# White Primed Balusters




**C-5015**  
1-1/4"



**C-5060** 1-1/4"  
**C-5260** 1-1/2"  
**C-5360** 1-3/4"




**C-5040**  
1-1/8"



**C-5611**  
1-3/4"

- Primed balusters have a gloss white primer finish and should be prepped and painted for best results.
- These parts are not made by OWM and do not match OWM profiles—they may be imported and the actual products details and dimensions may vary from what is listed below.



See our Iron Balusters & Steel Tubing booklet for warranty & return policies on primed balusters, plus our large selection of forged and fabricated metal products.

Items in **BOLD** = stock item at OWM.  
Subject to change.

PART NUMBER	STYLE NUMBER	BLANK SIZE	LENGTH includes 3/4" x 3/4" bottom pin	TURND SECTION	BOTTOM BLOCK
1800106	C-5015-31	1-1/4"	31"	22-1/2"	7-3/4"
<b>1800107</b>	<b>C-5015-34</b>	<b>1-1/4"</b>	<b>34"</b>	<b>25-1/2"</b>	<b>7-3/4"</b>
<b>1800108</b>	<b>C-5015-36</b>	<b>1-1/4"</b>	<b>36"</b>	<b>27-1/2"</b>	<b>7-3/4"</b>
<b>1800109</b>	<b>C-5015-39</b>	<b>1-1/4"</b>	<b>39"</b>	<b>30-1/2"</b>	<b>7-3/4"</b>
<b>1800110</b>	<b>C-5015-41</b>	<b>1-1/4"</b>	<b>41"</b>	<b>32-1/2"</b>	<b>7-3/4"</b>
<b>1800111</b>	<b>C-5015-43</b>	<b>1-1/4"</b>	<b>43"</b>	<b>34-1/2"</b>	<b>7-3/4"</b>
<b>1801212</b>	<b>C-5060-36</b>	<b>1-1/4" Square</b>	<b>36"</b>	<b>N/A</b>	<b>N/A</b>
<b>1802362</b>	<b>C-5060-42</b>	<b>1-1/4" Square</b>	<b>42"</b>	<b>N/A</b>	<b>N/A</b>
<b>1803618</b>	<b>C-5260-36</b>	<b>1-1/2" Square</b>	<b>36"</b>	<b>N/A</b>	<b>N/A</b>
<b>1803619</b>	<b>C-5260-42</b>	<b>1-1/2" Square</b>	<b>42"</b>	<b>N/A</b>	<b>N/A</b>
<b>1801255</b>	<b>C-5360-36</b>	<b>1-3/4" Square</b>	<b>36"</b>	<b>N/A</b>	<b>N/A</b>
<b>1802377</b>	<b>C-5360-42</b>	<b>1-3/4" Square</b>	<b>42"</b>	<b>N/A</b>	<b>N/A</b>
801759	C-5040-36	1-1/8" Tapered	36"	36"	N/A
<b>801760</b>	<b>C-5040-39</b>	<b>1-1/8" Tapered</b>	<b>39"</b>	<b>39"</b>	<b>N/A</b>
<b>802840</b>	<b>C-5040-41</b>	<b>1-1/8" Tapered</b>	<b>41"</b>	<b>41"</b>	<b>N/A</b>
801275	C-5611-34	1-3/4"	34"	25-1/2"	7-3/4"
801277	C-5611-36	1-3/4"	36"	27-1/2"	7-3/4"
801279	C-5611-39	1-3/4"	39"	27-1/2"	10-3/4"
801281	C-5611-41	1-3/4"	41"	27-1/2"	12-3/4"